



ClickShow Y202/Y404

The single click wireless presentation system




Team productivity is enhanced when content is clearly visible to everyone and when the different documents can be seen simultaneously to be discussed efficiently. With Silex ClickShow Y series, sharing different documents from different sources simultaneously is done in a click. The ClickShow-Y series wireless presentation solution is designed for collaborative environments and frees your space from the traditional wiring.

With this collaboration system, sharing on the room's display is made simple from any laptop or mobile device. No more setups or cable's compatibility concerns to worry about, just click to show your content on the main screen.

A rich sharing experience for a better productivity

The ClickShow-Y series brings the wireless presentation experience to any meeting room or classroom. Allowing any participant to connect and share content from personal devices on the main display, it offers the simplest wireless presentation setup for simultaneous content display from up to 4 different sources.

Users can share from Windows laptops using the ClickShow soft button application or the ClickShow button. The latter is simply plugged into the HDMI port or the USB port depending on the button model, and clicking on the button will display the content on the main display. From Android smartphones and tablets, install the ClickShow soft button app then click to show your content. From iOS devices, simply use AirPlay or the button for Macs.



Main features (ClickShow Y202 / ClickShow Y404)

- Multiple users can share content simultaneously - 2 users with ClickShow Y202 and 4 users with ClickShow Y404
- Delivered with 2/4 HDMI or USB Type A buttons
- Can take up to 16 buttons
- Unlimited ClickShow soft button connections
- HDMI and VGA dual interface output
- Adjustable display ratios, including 4:3, 16:9, 16:10
- Share from laptop, tablet or smartphone
- Reverse control from a touch screen
- Supports AirPlay mirroring for MAC, iPhones and iPads
- Anti-theft lock

Specifications

Model	ClickShow Y202	ClickShow Y404
Interfaces	<ul style="list-style-type: none"> • 1 x HDMI Output • 1 x VGA Output • 2 x USB • 1 x Ethernet LAN • 1 x 3.5mm mini jack socket 	
Operating systems and wireless presentation protocols compatibility	<ul style="list-style-type: none"> • Windows 7/8.1/10 32 and 64 bits, • MAC OS X 10.10/10.11/10.12 and above • Compatible with airplay for iOS9/iOS10/iOS11, OS X 10.10/10.11/10.12 and above • Compatible with Android 5.0 and higher version (APP installation required) 	
Number of simultaneous sources on screen (From Windows, MAC, Android & iOS)	2	4
Number of simultaneous connected buttons	16	
Reach	30 meters	
Extended desktop presentation	supported	
Reverse control	supported	
Video output	<ul style="list-style-type: none"> • Output type: 1 HDMI – 1 VGA • Output ratio: same as source screen • Output resolution: 11 available adaptative resolutions up to 1920 x 1200 P60 • The same video can be displayed from HDMI and From VGA simultaneously with different ratios 	
Video input	<ul style="list-style-type: none"> • Up to 4K (3840x2160) • Encoding resolution up to 1920x1080 • Frame rate up to 30fps 	
Split screen resolutions	<ul style="list-style-type: none"> • Single screen: Max resolution 1920*1200 • Dual screens split: 960x540 each 	<ul style="list-style-type: none"> • Single screen: Max resolution 1920*1200 • Dual /four screens split: 960x540 each
Audio output	<ul style="list-style-type: none"> • Via HDMI: digital audio, sample rate 44.1Khz, stereo • Via Audio Jack 3.5mm: analog audio Both audio interfaces output the same audio signal simultaneously	
USB interface	2 USB interfaces used for: <ul style="list-style-type: none"> • Button pairing • Local firmware upgrade • Bootup/standby image setting 	

Model	ClickShow Y202	ClickShow Y404
Devices compatibility	<ul style="list-style-type: none"> • iOS devices (using Airplay) • MAC (using ClickShow Button or Airplay) • Android devices (using ClickShow application) • Windows laptops (using ClickShow button or ClickShow App) 	
Wireless connection	<ul style="list-style-type: none"> • Wireless transmission protocol: 802.11ac/n • Dual antenna • Frequency band: 2.4Ghz (11 channels) and 5ghz (9 channels) • Network speed: up to 867Mbps • Authentication protocol: WPA2-PSK 	
WLAN card	<ul style="list-style-type: none"> • External (to be ordered separately) for wireless/wired bridging • Shared Priority • 2.4G/5G, 2T2R, 867Mbps 	
Presentation code	When Pin code is enabled, Android, AirPlay and Windows senders will require the code	
Management	<ul style="list-style-type: none"> • Device configuration from web interface • Firmware update from USB or remote network • Centralized management software for multiple devices on the same LAN 	
Weight	622 g	
Dimensions (HxWxD)	3.3 x 18 x 11.6 cm	
Power consumption	12V/1A, average power consumption 5W	
Temperature and humidity	<ul style="list-style-type: none"> • Operation: +5°C ~ +40°C, 0 ~ 90% relative humidity, no condensation • Storage: -20°C ~ +60°C, 0 ~ 90% relative humidity, no condensation 	

Button models

- HDMI
- USB type A
- USB type C (Q1/2020)



© 2019 SillexPro. All rights reserved. SillexPro and any SillexPro product or service name or logo used herein are trademarks of SillexPro. All other trademarks used herein belong to their respective owners. The trademarks and logos displayed herein may not be used without the prior written consent of SillexPro or their respective owners. No portion hereof may be reproduced or transmitted in any form or by any means, for any purpose other than the recipient's personal use, without the express written permission of SillexPro.

www.Sillexpro.com